## STBC (SPACE - TIME BLOCK CODED) MIMO SYSTEM

Submitted to
Dr. Satya Prasad Majumder

Submitted by

Mafruza Ruba Lina

Student ID: 05210012

Anindita Islam

Student ID: 06110011

Sajerin Jahan

Student ID: 06110029

# Department of Electrical and Electronics Engineering December 2009



BRAC University, Dhaka, Bangladesh

#### **ACKNOWLEDGMENTS**

We are very thankful to our thesis coordinator Dr. Satya Prasad Majumder of Electrical and Electronics Department of Bangladesh University of Engineering and Technology (BUET) for guiding us throughout our thesis work .Special thanks for helping us to solve the equations and understanding the tough ones. Also thanks to Rubaiya Rahman and Apurba Saha for taking time out of their busy schedules to consider this work and helping us for programming in Matlab. We have worked extremely hard in this thesis and hopefully our work will be appreciated by our coordinator.

#### **ABSTRACT**

The performances of a STBC (Space Time Block Coded) MIMO wireless link are analyzed considering Rayleigh fading. Maximal ratio combining technique has been considered in the receiver over a PSK channel. The expressions for signal to noise ratio and bit error rate (BER) are derived for multiple Transmitter and Receiver antenna configurations. Performance results are evaluated by Matlab to find the improvement in system performance. It is found that if we increase number of transmitting antenna, we are able to get better performance for MIMO (multiple input multiple output) systems.

## **Table of Contents**

Topic	Page
Chapter 1	
1.1 introduction to wireless communication	1
1.2) History	2
1.3 wireless communication link	4
1.4 Limitations of Wireless Communication	5
Fading	5
Small scale multiple fading	5
Shadowing	6
Rician Fading: (LOS Propagation)	8
Rayleigh Fading: (NLOS Propagation)	9
Delay spread	10
Doppler shift	11
1.5Multiple Access Techniques	12
FDMA (Frequency-division multiple access)	. 12
TDMA(Time division multiple access)	13
CDMA(Code division multiple access):	13
1.6Multiplexing techniques	14
Frequency division Multiplexing (FDM)	15
Time division Multiplexing (TDM)	17
Demultiplexing	18
1.7 Diversity in Wireless Communication	19
Why Diversity ?	19
Types of Diversity	20
Frequency Diversity	20
Time Diversity	20
Space diversity	21
Angle Diversity	2
Path Diversity	2

1.8 Combining techniques	23
Linear Combining	23
Different types of Linear Combining	24
Maximal ratio Combining	24
Equal-Gain Combining	24
Selective Combining	25
Why we used Maximal Ratio Combining?	25
1.9 Digital Modulation	25
1.10 Phase-shift keying (PSK)	25
1. 11 Objective of the Thesis Work	26
1.12 Project Overview	27
1.12.1 STBC coded MIMO System	27
1.12.2 Why MIMO? - Antenna diversity	28
1.12.3 Why STBC? – Capacity perspective	29
1.12.4Bit Error Rate (BER)	30
1.12.5 Signal to Noise Ratio (SNR)	
31	
Chapter-2	
Theoretical Analysis of Wireless Link with fading	
2.1 Diversity and Combining Techniques of System	33
SISO (Single Input, Single Output)	34
SIMO (Single Input, Multiple Outputs)	34
MISO (Multiple Inputs, Single Output)	35
MIMO (Multiple Inputs, Multiple Outputs)	35
2.2 System Model	38
2.2.1 Alamouti STBC codes with 2 transmitting and 2 receiving	
Antennas	38
2.2.2 STBC-MIMO transmission	41

Data collection and combining	42
2.2.3 Analysis of BER without fading : SISO	42
2.3 Analysis of BER (Bit Error Rate) with fading	43
2.3.1 Analysis of BER (Bit Error Rate) with fading for SISO	43
2.3.2 Analysis of BER (Bit Error Rate) with fading for SIMO	44
2.3.3 Analysis of BER (Bit Error Rate) with fading for MIMO	47
Chapter-3	
Results and Discussions	
SNR Improvement by Selective Diversity Over Rayleigh Fading	
for SIMO	48
SISO - Without fading	50
SISO - With fading	52
SIMO - With fading	54
MIMO-with fading	65
Chapter-4	
Conclusion and Future Work	69
References	71

# List of figures

Figure Pa Nun	ge nber
Fig 1: Generic Block diagram	4
Fig2: A system using frequency division multiplexing	15
Fig 3: Spectral occupancy of signals in an FDM system	16
Fig 4: Time division multiplexing	17
Fig 5: demultiplexing	18
Fig 6: diversity with coherent demodulator	22
Fig 7: Diversity and Combining Techniques of System	33
Fig 8: MIMO	34
Fig 9: from SISO to advanced MIMO system	36
Fig-10 space block diagram	37
Fig 11- 2 Transmit 2 Receive Alamouti STBC	38
Fig-12 MIMO Transmission	41
Fig 13: Block diagram of an Alamouti coded PSK system	
incorporating one transmitting antenna and two	
receiving antenna (SIMO system)	44
Fig 14 : Diversity reception with Maximal Ratio Combining	44
Fig-15 Block diagram of BER (Bit Error Rate) with fading for MIMO	46
Fig 16: probability density function (pdf) of the received	
SNR per bit with Selective Diversity for SIMO system	49
Fig.17- SISO - Without fading	51
Fig. 18- SISO - With fading	52
Fig:19- SIMO - With fading ,variance = 1	55
Fig:20- SIMO - With fading, variance = 0.8	57
Fig 21: SIMO - With fading, variance = 0.5	58
Fig: 22- SIMO - With fading ,variance = 0.05	59
Fig:23- SIMO - With fading, receiver sensitivity vs. L, variance = 1	. 60
Fig:24- SIMO - With fading, receiver sensitivity vs. L, variance = 0.8	61

Fig: 25-SIMO - With fading, receiver sensitivity vs. L, variance = 0.5	62
Fig: 26- SIMO - With fading, receiver sensitivity vs. L, variance = 0.05	63
Fig. 27-MIMO-with fading, BER vs. CNIR,	66
Fig. 28- MIMO-with fading, Pdf vs. SNR	67
Fig 29- MIMO-with fading,BER vs. SNR	68